



# MATERIAL SAFETY DATA SHEET

## DYSON BATTERY PACK 6-CELL (215681)

Revision : 10  
Revised date : 15-January-2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

<b>Product name</b>	Battery Pack 6-Cell (215681)
<b>Part Number</b>	215681 Battery Pack Assembly 218847- xx Battery Pack Service Assembly 218856 - xx Battery Pack Assembly 967834-xx Power Pack & Screws Service Assembly  ( xx can be 0-9, A-Z, a-z, “/”, “\”, “_”, “.” or blank for the marketing purpose, only different model designations on the marking plate for different markets. No safety concern)
<b>Product Category</b>	Lithium-ion Rechargeable Battery Pack
<b>Battery Pack Rated Voltage</b>	21.6 V
<b>Battery Pack Rated Capacity</b>	2800 mAh
<b>Battery Pack Rated Energy</b>	65 Wh

#### 1.3. Details of the supplier of the safety data sheet

<b>Company</b>	Dyson Limited
<b>Address</b>	Tetbury Hill Malmesbury Wiltshire England SN16 0RP United Kingdom
<b>Web</b>	www.dyson.com
<b>Telephone</b>	+44 (0) 800 298 0298
<b>Fax</b>	-
<b>Email</b>	GlobalCompliance@dyson.com

#### 1.4. Emergency telephone number

<b>Emergency telephone number</b>	+44 (0) 203 394 9857
-----------------------------------	----------------------

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

	<p>Under normal condition of use Dyson battery pack presents no risk of exposure. Risk of exposure occurs only if the battery pack is physically abused.</p> <p>Organic electrolyte leakage from abused cells is flammable. Vapour from burning batteries and plastic case may cause eye, skin and respiratory irritation.</p>
--	--

#### 2.2. Label elements

<b>CLP Label Elements</b>	Not Applicable
---------------------------	----------------

## Dyson Battery Pack 6-Cell (215681)

Revision : 10  
Revised date : 15-January-2019

### SECTION 3: Composition/information on ingredients

	<p>Battery Pack 6-Cell (215681) uses six E-One Moli Energy Corp INR-20700A lithium-ion rechargeable cells controlled with a battery management PCB. The cells are connected in a string of 6 cells in series.</p> <p>The cells does not contain metallic lithium or lithium alloy</p>
--	---

#### Battery Pack Level

<b>Enclosure</b>	<b>Plastic (Polycarbonate / Acrylonitrile Butadiene Styrene)</b>
<b>Cell Cage - Cap</b>	<b>Plastic (Polycarbonate / Acrylonitrile Butadiene Styrene)</b>
<b>Cell Cage - Body</b>	<b>Plastic (Polypropylene)</b>

#### Cell Level

Cell Component	Chemical Name	CAS No.	% weight
Electrolyte	Electrolyte salt and solvents.	-	5 - 20
Electrolyte salt	Lithium hexafluorophosphate	21324-40-3	1 - 5
Electrolyte solvents	Ethylene Carbonate	96-49-4	5 - 20
	Propylene Carbonate	108-32-7	
	Diethyl Carbonate	105-58-8	
	Dimethyl Carbonate	616-38-6	
	Ethyl Methyl Carbonate	623-53-0	
PVDF	Polyvinylidene fluoride	24937-79-9	< 1
Copper	Cu	7440-50-8	9 -18
Aluminium	Al	7429-90-5	17-27
Cathode	Lithium Cobaltite	12190-79-3	20 - 50
	Manganese	7439-96-5	
	Nickel	7440-02-0	
	Aluminum	7429-90-5	
Anode	Graphite	7782-42-5	13 -18
	Carbon Black	1333-86-4	
Steel, Nickel, and inert components	-	-	Balance

### SECTION 4: First aid measures

#### 4.2. Most important symptoms and effects, both acute and delayed

Battery pack contains organic electrolyte. In case of electrolyte leakage from battery, actions described below are required.

Inhalation	No Symptoms.
Eye contact	There may be irritation and redness.
Skin contact	There may be irritation and redness.
Ingestion	There may be irritation of the throat.

## Dyson Battery Pack 6-Cell (215681)

Revision : 10  
Revised date : 15-January-2019

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air.
Eye contact	Bathe the eye with running water for 15 minutes, if eye irritation persists seek medical attention.
Skin contact	Wash off immediately with plenty of soap and water.
Ingestion	Wash out mouth with water and drink plenty of water.

### SECTION 5: Firefighting measures

	<p>In case of fire, use CO<sub>2</sub>, dry chemical powder extinguishers.</p> <p>Since irritant and corrosive gas may be produced by battery pack on fire, use self-contained breathing apparatus while extinguishing fire when danger is predicted.</p> <p>Move batteries to a safer place immediately if a fire breaks out nearby. Use a large amount of water as a supportive measure to cool the exterior of batteries if exposed to fire to prevent rupture</p>
--	---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

	In the unlikely event that liquid leaks from the battery, Wear personal protective equipment (Safety gloves, goggles and gas mask for organic gases). Avoid skin contact.
--	---

#### 6.2. Environmental precautions

	Dispose of damaged battery pack in accordance with federal, state and local regulations. Cover battery pack terminals to prevent accidental short-circuit when batteries are mixed.
--	---

#### 6.3. Methods and material for containment and cleaning up

	Use absorbent material (sand, vermiculite, etc.) to absorb any exuded material. Seal leaking battery (unless hot) and contaminated absorbent in a plastic bag and dispose of in accordance with local regulations.
--	--

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

	<p>Do not disassemble, open, remodel, or solder. Do not short + and – terminals with metal.</p> <p>Charge with a Dyson charger designed for use with this battery pack.</p> <p>The battery may present a risk of fire or burns if mistreated. Do not disassemble, crush, short contacts, heat above 140°F (100°C), or incinerate. Do not use pack if damaged.</p>
--	---

#### 7.2. Conditions for safe storage, including any incompatibilities

	Store at < 45°C. Avoid overheating, e.g. through incident solar radiation or radiant heat source. Do not expose to water or condensation.
--	---

## Dyson Battery Pack 6-Cell (215681)

Revision : 10

Revised date : 15-January-2019

### SECTION 8: Exposure controls/personal protection

#### 8.2. Exposure controls

	Personal Protection is not required under normal usage.
	In the unlikely event that liquid leaks from the battery do not touch the liquid. Provide appropriate ventilation, do not inhale vapour, use gas masks for organic gases if necessary. Wear safety glasses, safety gloves, and clean up according to Section 6.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical State	Solid
Colour	N/A
Odour	None
pH-	N/A
Relative density	N/A
Solubility in water (g/L)	Insoluble

### SECTION 10: Stability and reactivity

#### 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

#### 10.4. Conditions to avoid

	High temperature (>100°C) exposure of battery pack.
	Deformation by crush will cause generation of heat and ignition.
	Avoid mechanical or electrical abuse.
	Avoid contact with corrosive chemicals.

### SECTION 11: Toxicological information

	No information as a battery pack
--	----------------------------------

### SECTION 12: Ecological information

	No information as a battery pack
--	----------------------------------

### SECTION 13: Disposal considerations

Disposal methods	Dispose of damaged battery pack in accordance with federal, state and local regulations. Cover battery pack terminals to prevent accidental short-circuit when batteries are mixed.
------------------	---



**Dyson Battery Pack 6-Cell (215681)**

Revision : 10  
 Revised date : 15-January-2019

ADR  
 ICAO-IATA/ DGR  
 IMDG-Code  
 ADN

4) Each package must be labelled with a lithium battery handling label

UN 3480, PI 965, Section IA and IB. Lithium ion cells and batteries must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated design capacity. Cells and/or batteries at a SoC of greater than 30% may only be shipped with the approval of the State of Origin and the State of the Operator under the written conditions established by those authorities.

UN 3480, PI 965, Section IA and IB are forbidden for carriage on passenger aircraft. All packages must bear the Cargo Aircraft Only label in addition to the other marks and labels required by the Regulations

UN 3480, PI 965, Section II. Lithium ion cells and batteries must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated design capacity. All packages prepared in accordance with Section II of PI 965 are forbidden for carriage on passenger aircraft. All packages must bear the Cargo Aircraft Only label in addition to the other marks and labels required by the Regulations.

A shipper is not permitted to offer for transport more than one (1) package prepared according to Section II in any single consignment. Not more than one (1) package prepared in accordance with Section II of PI 965 may be placed into an overpack. When the package is placed in an overpack, the lithium battery handling label and Cargo Aircraft Only label required by this packing instruction must either be clearly visible or the label must be affixed on the outside of the overpack and the overpack must be marked with the word "Overpack".

**Lithium ion batteries packed with equipment - Lithium ion batteries in compliance with Section of PI 966**

1) Section II applies to lithium ion batteries with a Watt-hour rating not exceeding 100 Wh

**Lithium ion batteries contained in equipment - Lithium ion batteries in compliance with Section of PI 967**

1) Section II applies to lithium ion batteries with a Watt-hour rating not exceeding 100 Wh

**Dyson Battery Pack 6-Cell (215681)**

Revision : 10

Revised date : 15-January-2019

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>Regulations</b>	<ul style="list-style-type: none"> <li>▪ IMDG Code : International Maritime Dangerous Goods (IMDG) Code 2019 Edition</li> <li>▪ ICAO TI: International Civil Aviation Organization (ICAO) Technical Instructions for the Safe Transport of Dangerous Goods by Air 2018-2019 Edition</li> <li>▪ IATA DGR: International Air Transport Association (IATA) Dangerous Goods Regulation 60<sup>th</sup> Edition</li> </ul>
--------------------	---

**Further information**

	The regulatory information given above only indicates the principle regulations specifically applicable to the product described in the safety data sheet. Attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.
--	---

**SECTION 16: Other information****Further information**

<b>Legal Disclaimer</b>	The information contained within is provided for your information only. The information and recommendations set forth herein are made in good faith and are believed to be accurate as of the date of preparation. However, Dyson Ltd makes no warranty, either expressed or implied, with respect to this information and disclaims all liability from reliance on it.
-------------------------	---